






De libre instalación ≥ 60 cm anchura







TECHNISCHE DATEN/TECHNICAL DATA/DONNEES TECHNIQUES/DATOS TECNICOS			
Verdichter/Compressor/Compresseur/Compresor Typ/Type/Tipo	DANFOSS NLX11KK		
Förderleistung/Delivery/Debit/Aspiración l/h	0407		
Anlaufstrom/Starting current/Cour. démarrage/Int.arranque A	7,80		
Widerstand/Resistance/Resistencia. Ha/main/prin. Ohm	16,50		
Hi/aux.	20,50		
Klape Therm./Thermostat/Termostat Typ/Type/Tipo			
Reglerstellung/Position/Conexión			
Schaltwerte/Switching values/ Valeurs de commutation/Desconex. (..abtauen' od)	..ein/conex.°C ..aus"/descon. ..alarm'	kalt	warm
Füllmenge/Fill. quantity/Charge/Carga R600	g	60	
Anschlusswert/Comm. load/Puiss. Connect./Potenc.	W	150	
Heizung/Heater/Chauflage/Resistenc.descong.			
Widerstand/Resistance/Resistencia	K		
Leistung/Power/Puissance/Potencia	W		
Ventilator/Blower/Ventilateur/Ventilador			
Widerstand/Resistance/Resistencia			